

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

**Revision Date:**  
**8 December, 2025**

**SECTION 1. IDENTIFICATION**

**Product identifier**

**Product Identity** PRO-SET® ADV-176-QC  
**Other means of identification** Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against**

See Technical Data Sheet.

**Details of the supplier of the safety data sheet**

**Company Name** PRO-SET  
Gougeon Brothers, Inc.  
100 Patterson Ave.  
Bay City, MI 48706, U.S.A.

**Emergency**  
**24 hour Emergency Telephone No.** Transportation  
CHEMTREC: 800-424-9300 (U.S.)  
703-527-3887 (International)  
Non-transportation  
Poison Hotline: ..... 800-222-1222

**Customer Service:** 866-937-8797  
www.prosetepoxy.com

**SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)**

Skin corrosion/irritation category 2;H315	Causes skin irritation.
Serious eye damage / eye irritation, category 2A;H319	Causes serious eye irritation.
Skin sensitizer category 1;H317	May cause an allergic skin reaction.
Aquatic toxicity (chronic), category 2;H411	Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

## PRO-SET® ADV-176-QC

Revision Date:  
8 December, 2025

### Label elements



### Warning

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

#### [Prevention]

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 Wash thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves, eye protection, and face protection.

#### [Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+313 If skin irritation or a rash occurs: Get medical advice or attention.  
P337+313 If eye irritation persists: Get medical advice or attention.  
P362+364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

#### [Storage]

No GHS storage statements

#### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

### Other hazards

# Safety Data Sheet

## PRO-SET® ADV-176-QC

Revision Date:  
8 December, 2025

This product contains no PBT/vPvB/vPvM chemicals.  
This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Bisphenol F epoxy resin CAS Number: 28064-14-4 Synonyms: Bisphenol F nhựa epoxy (av.mol.wt<700)	45 - 70	Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2;H319 Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 2;H411	No data available
Neopentyl glycol diglycidyl ether CAS Number: 17557-23-2 Synonyms: Neopentyl glycol diglycidyl ete	10 - 30	Skin corrosion/irritation category 2;H315 Skin sensitizer category 1;H317	No data available
2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb CAS Number: 68610-73-1 Synonyms: Epoxy-ctbn adduct	10 - 30		No data available
Silicon dioxide, chemically prepared CAS Number: 112945-52-5 Synonyms: Amorphous, fumed silica	3 - 7	Not Classified	No data available
Glass oxide, glass CAS Number: 65997-17-3 Synonyms: Glass, oxide, chemicals, Borosilicate glass	3 - 7	Not Classified	No data available

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

### SECTION 4. FIRST AID MEASURES

Description of first aid measures

# Safety Data Sheet

## PRO-SET® ADV-176-QC

Revision Date:  
8 December, 2025

- General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

- Overview** No specific symptom data available.  
No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.
- Eyes** Causes serious eye irritation.
- Skin** May cause an allergic skin reaction. Causes skin irritation.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.  
Avoid breathing dust, fume, gas, mist, vapors, spray.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

171

## SECTION 6. ACCIDENTAL RELEASE MEASURES

# Safety Data Sheet

## PRO-SET® ADV-176-QC

Revision Date:  
8 December, 2025

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.  
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.  
See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information  
See section 2 for further details. - [Storage]

### Specific end use(s)

No available information

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### Exposure Limits

CAS No.	Ingredient	Source	Value
17557-23-2	Neopentyl glycol diglycidyl ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
28064-14-4	Bisphenol F epoxy resin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

# Safety Data Sheet

## PRO-SET® ADV-176-QC

**Revision Date:**  
**8 December, 2025**

CAS No.	Ingredient	Source	Value
65997-17-3	Glass oxide, glass	OSHA	15 mg/m <sup>3</sup> (as nuisance dust) 5 mg/m <sup>3</sup> (respirable fraction)
		ACGIH	10 mg/m <sup>3</sup> (as nuisance dust) 5 mg/m <sup>3</sup> (respirable fraction)
		NIOSH	No Established Limit
68610-73-1	2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
112945-52-5	Silicon dioxide, chemically prepared	OSHA	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (mineral dusts)
		ACGIH	No Established Limit
		NIOSH	6 mg/m <sup>3</sup>

### Exposure controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Protective safety glasses recommended
<b>Skin</b>	Avoid skin contact. Protective gloves recommended.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Gel
<b>Color</b>	Yellow
<b>Odor</b>	Mild
<b>Odor threshold</b>	No available information
<b>Melting point / freezing point</b>	No available information
<b>Initial boiling point and boiling range</b>	> 400°F (204°C) Estimated based on ingredient data.
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	Lower Explosive Limit: No available information  Upper Explosive Limit: No available information
<b>Flash Point</b>	>200°F (93°C) Based on ASTM D92 test results from similar product.
<b>Auto-ignition temperature</b>	No available information

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

**Revision Date:**  
**8 December, 2025**

<b>Decomposition temperature</b>	No available information
<b>pH</b>	No available information
<b>Viscosity (cSt)</b>	No available information
<b>Solubility in Water</b>	No available information
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Vapor pressure (Pa)</b>	No available information
<b>Relative Density</b>	1.16
<b>Vapor Density</b>	No available information
<b>Evaporation rate (Ether = 1)</b>	No available information
<b>Oxidising properties</b>	No available information
<b>Explosive properties</b>	No available information
<b>Bulk Density</b>	9.67 lbs./gal. (1.16 kg/L)

**Other information**

No other relevant information.

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information

**Conditions to avoid**

Avoid high temperatures and contact with incompatible material

**Incompatible materials**

No available information

**Hazardous decomposition products**

No hazardous decomposition data available.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

**Revision Date:**  
**8 December, 2025**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Bisphenol F epoxy resin - (28064-14-4)	No data available.	No data available.	No data available.	No data available.	No data available.
Neopentyl glycol diglycidyl ether - (17557-23-2)	4,500.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.
2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb - (68610-73-1)	No data available.	No data available.	No data available.	No data available.	No data available.
Silicon dioxide, chemically prepared - (112945-52-5)	3,160.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.
Glass oxide, glass - (65997-17-3)	No data available.	No data available.	No data available.	No data available.	No data available.

**Carcinogen Data**

CAS No.	Ingredient	Source	Value
17557-23-2	Neopentyl glycol diglycidyl ether	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
28064-14-4	Bisphenol F epoxy resin	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
65997-17-3	Glass oxide, glass	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
68610-73-1	2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	No
		ACGIH	No Established Limit
112945-52-5	Silicon dioxide, chemically prepared	OSHA	Regulated Carcinogen: No;

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

Revision Date:  
8 December, 2025

CAS No.	Ingredient	Source	Value
		NTP	Known: No; Suspected: No;
		IARC	Group 3
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

**Possible routes of entry:**

Inhalation, ingestion, skin contact, and skin absorption.

**Symptoms and effects, both acute and delayed:**

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

**Eyes** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction. Causes skin irritation.

## SECTION 12. ECOLOGICAL INFORMATION

**Toxicity**

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Bisphenol F epoxy resin - (28064-14-4)	9.00, Oncorhynchus mykiss	9.00, Daphnia magna	No data available.
Neopentyl glycol diglycidyl ether - (17557-23-2)	No data available.	No data available.	No data available.

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

**Revision Date:**  
**8 December, 2025**

<b>Ingredient</b>	<b>96 hr LC50 fish, mg/L</b>	<b>48 hr EC50 crustacea, mg/L</b>	<b>ErC50 algae, mg/L</b>
2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb - (68610-73-1)	No data available.	No data available.	No data available.
Silicon dioxide, chemically prepared - (112945-52-5)	No data available.	No data available.	No data available.
Glass oxide, glass - (65997-17-3)	> 1,000, Danio rerio	No data available.	No data available.

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB/vPvM chemicals.

**Other adverse effects**

No available information

## SECTION 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.

## SECTION 14. TRANSPORT INFORMATION

Not regulated for packages under 5L (1.3 gallons) or 5.0 kg (11 lbs).

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

Revision Date:  
8 December, 2025



	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>UN number</b>	UN3077	UN3077	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s., (EPOXY RESIN)	Environmentally hazardous substances, solid, n.o.s., (EPOXY RESIN)	Environmentally hazardous substances, solid, n.o.s., (EPOXY RESIN)
<b>Transport hazard class(es)</b>	Class: 9 Sub Class: Not Applicable	Class: 9 Sub Class: Not Applicable	Class: 9 Sub Class: Not Applicable
<b>Packing group</b>	III	III	III

**Environmental hazards**

IMDG Marine Pollutant: Yes; ( Bisphenol F epoxy resin )

**Special precautions for user**

No available information

**SECTION 15. REGULATORY INFORMATION**

**Regulatory Overview**      The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

**Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0068610-73-1	2-propenenitrile, polymer with 1,3-butadiene, carboxy-terminated, reaction products with epichlorohydrin-2,2'-methyleneb	Yes	UVCB XU	ACTIVE
0028064-14-4	Bisphenol F epoxy resin	Yes	UVCB XU	ACTIVE
0065997-17-3	Glass oxide, glass	Yes	UVCB	ACTIVE
0017557-23-2	Neopentyl glycol diglycidyl ether	Yes	TP	ACTIVE

# Safety Data Sheet

## PRO-SET® ADV-176-QC

Revision Date:  
8 December, 2025

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0112945-52-5	Silicon dioxide, chemically prepared	No		

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:

Glass oxide, glass

### Proposition 65 - Carcinogens (>0.0%):

Bisphenol F epoxy resin

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Bisphenol F epoxy resin], which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION

Revision Date

8 December, 2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

**Safety Data Sheet**  
**PRO-SET® ADV-176-QC**

**Revision Date:**  
**8 December, 2025**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

**End of Document**